

**SERTIFIKAT ANALISA / CERTIFICATE OF ANALYSIS**  
**929/LP-BRS.PTK/III/2022**

**Serbuk Mitragyna Speciosa/Mitragyna Speciosa Powder**

Nomor Analisis/Analysis Number P.01028- 2022  
Klien/Client Kratom Sulawesi  
No. Batch/Batch No RC0204222  
Kode Produk/Product Code Red Cambodian  
Tgl Pembuatan/Manufacturing Date February 2022

**Data Umum/General Data**

Spesies/Species *Mitragyna Speciosa*  
Bentuk/Form Bubuk/Powder

No	Parameter Uji/Test	Satuan /unit	Spesifikasi /Specification	Hasil Uji/Test Result	Metode/Methode
1	Yeast & Mold	cfu/ml	$\leq 10^5$	$1.6 \times 10^3$	AOAC® Official Method 2002. 11
2	<i>Escherichia coli</i>	cfu/ml	Negative	Negative	AOAC® Official Method 2005.03
3	<i>Salmonella spp</i>	cfu/ml	Negative	Negative	AOAC® Official Method 2002.031801
4	Lead (Pb)	Mg/kg	-	Negative	18-13-1/MU/SMM-SIG (ICP OES)
5	Arsenic (As)	Mg/kg	0.004	No detected	18-13-1/MU/SMM-SIG (ICP OES)
6	Mercury (Hg)	Mg/kg	0.005	No detected	18-13-1/MU/SMM-SIG (ICP OES)
7	Cadmium (Cd)	Mg/kg	0.00013	No detected	18-13-1/MU/SMM-SIG (ICP OES)
8	Mitragynine	%	1%	1.61%	MITA_EVO-R02-FSP

Plt.Kepala Seksi Standardisasi dan Sertifikasi,



Zuhrawaty